

SAFETY DATA SHEET

Date Prepared : 02/22/2017

SDS No : ORR

Orange Rush

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Orange Rush
GENERAL USE: Cleaner/Degreaser
PRODUCT DESCRIPTION: Cleaner-Degreaser
CHEMICAL FAMILY: Dipentene/Detergent blend

MANUFACTURER

MISCO Products Corporation
1048 Stinson Drive
Reading, PA 19605

Emergency Phone: 610-926-4106

Customer Service: 800-548-4568

Transportation: 800-548-4568

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEM-TEL (Medical and Transportation): 800-255-3924

POISON CONTROL CENTER (Medical): 800-222-1222

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 1
Skin Irritation, Category 2
Skin Sensitization, Category 1
Aspiration Hazard, Category 1

Environmental:

Chronic Hazards to the Aquatic Environment, Category 2
Acute Hazards to the Aquatic Environment, Category 1

Physical:

Flammable Liquids, Category 3

GHS LABEL



Corrosion



Flame



Environment



Health hazard

SIGNAL WORD: DANGER

HAZARD STATEMENTS

H318: Causes serious eye damage.
H315: Causes skin irritation.
H304: May be fatal if swallowed and enters airways.
H317: May cause an allergic skin reaction.
H226: Flammable liquid and vapour.
H400: Very toxic to aquatic life.

PRECAUTIONARY STATEMENT(S)

Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240: Ground and bond container and receiving equipment.

P242: Use non-sparking tools.
P261: Avoid breathing fume, gas, mist, vapors, or spray.
P262: Do not get in eyes, on skin, or on clothing.
P270: Do not eat, drink or smoke when using this product.
P264: Wash hands thoroughly after handling.
P233: Keep container tightly closed.
P273: Avoid release to the environment.
P102: Keep out of reach of children.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.
P302+P352: IF ON SKIN: Wash with plenty of soap and water
P362: Take off contaminated clothing.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P370+P378: In case of fire: Use dry chemical, foam or water mist to extinguish.
P391: Collect spillage.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Orange Liquid

IMMEDIATE CONCERNS: Severe eye irritant and may cause permanent eye damage. Skin irritant.

POTENTIAL HEALTH EFFECTS

EYES: Irritating, and may injure eye tissue if not removed promptly.

SKIN: Contact may cause moderate to severe irritation.

SKIN ABSORPTION: Not Established

INGESTION: Harmful if swallowed.

INHALATION: High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches)

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: None known.

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: Contains an ingredient listed under IARC Group 3 status.

MUTAGENICITY: None known.

ROUTES OF ENTRY: Eye, skin, ingestion.

CANCER STATEMENT: None

IRRITANCY: Yes

SENSITIZATION: May cause skin sensitization with contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Dipentene	65 - 70	68956-56-9
Ethylene glycol butyl ether	20 - 25	111-76-2

Secondary Ethoxylated Alcohol	1 - 5	84133-50-6
Primary Alcohol Ethoxylate C11	1 - 5	34398-01-1
Monoethanolamine	1 - 5	141-43-5
Dye	0 - 0.1	N/A

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Severe burning sensation, tearing, redness, swelling.

SKIN: Burning sensation, redness.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Headache, dizziness, nausea.

ACUTE EFFECTS: Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

CHRONIC EFFECTS: Not Established

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: II (100-140F)

GENERAL HAZARD: Combustible Liquid

EXTINGUISHING MEDIA: Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide from combustion

EXPLOSION HAZARDS: Fire exposed containers may burst due to increased pressure from heat.

FIRE FIGHTING PROCEDURES: Keep fire exposed containers cool with water stream or mist.

FIRE FIGHTING EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode.

SENSITIVE TO STATIC DISCHARGE: Not Established

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include: Carbon dioxide, Carbon monoxide, nitrogen oxides.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

AIR SPILL: No data available. Contact Env. Dept.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

RELEASE NOTES: Eliminate all ignition sources. Ventilate area well.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Store away from excessive heat, spark or open flame. Store at temperatures below 140F. Keep container closed until used. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Wear chemical resistant rubber or neoprene gloves and eye safety goggles/full face shield when handling.

STORAGE: Store in closed container in an area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

STORAGE PRESSURE: Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
Chemical Name	EXPOSURE LIMITS			
	Type		ppm	mg/m ³
Ethylene glycol butyl ether	OSHA PEL	TWA	50	240
	ACGIH TLV	TWA	20	97
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL
Monoethanolamine	OSHA PEL	TWA	3	6
	ACGIH TLV	TWA	3	7.5
		STEL	6	15
	Supplier OEL	TWA	NL	NL
STEL		NL	NL	

ENGINEERING CONTROLS: Provide mechanical ventilation when used in confined areas, or areas with poor ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles.

SKIN: Rubber or other chemical resistant gloves.

RESPIRATORY: A respirator is not needed under normal and intended conditions of product use.

PROTECTIVE CLOTHING: Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Citrus

ODOR THRESHOLD: Not Established

COLOR: Orange

pH: 11.0 to 12.0

PERCENT VOLATILE: >90

FLASH POINT AND METHOD: 48°C (118°F) Tag Closed Cup (TCC)

FLAMMABLE LIMITS: 0.7 to 6.0

AUTOIGNITION TEMPERATURE: Not Established

VAPOR PRESSURE: ~ 2 mm Hg at 20°C (68°F)

VAPOR DENSITY: > 1 Air = 1

BOILING POINT: 170°C (338°F) to 177°C (351°F)

FREEZING POINT: Not Available

THERMAL DECOMPOSITION: Not Available

SOLUBILITY IN WATER: dispersable

EVAPORATION RATE: (Water =1) <1.0

DENSITY: 7.423 at 20°C (68°F)

SPECIFIC GRAVITY: 0.89 grams/ml. at 20°C (68°F)

VISCOSITY: Water thin.

(VOC): 91.47 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Stable

HAZARDOUS POLYMERIZATION: None known.

STABILITY: Stable under normal storage and use conditions.

CONDITIONS TO AVOID: Heat, flames and sparks.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Established

INCOMPATIBLE MATERIALS: Strong oxidizers

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Dipentene	> 3500 mg/kg (rat)	> 5000 mg/kg (rabbit)	No data available
Ethylene glycol butyl ether	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l
Secondary Ethoxylated Alcohol	> 412 mg/kg (rat)	> 14000 mg/kg (rabbit)	1.06 mg/l (Rat), Aerosol
Primary Alcohol Ethoxylate C11	> 2000 mg/kg (rat)	> 2000 mg/kg (rabbit)	
Monoethanolamine	1089 mg/kg (rat)	2504 mg/kg (rabbit)	~ 1.48 mg/l

DERMAL LD₅₀: Not Established

ORAL LD₅₀: Not Established

INHALATION LC₅₀: Not Established

SKIN CORROSION/IRRITATION: Irritant

SERIOUS EYE DAMAGE/IRRITATION: Corrosive

RESPIRATORY OR SKIN SENSITISATION: May cause sensitization by skin contact.

GERM CELL MUTAGENICITY: No known significant effects or critical hazards.

CARCINOGENICITY

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethylene glycol butyl ether	No listed substance	Group 3 - Not classifiable as to its carcinogenicity to Humans	No listed substance

IARC:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

NOTES: No known significant effects or critical hazards.

REPRODUCTIVE TOXICITY: No known significant effects or critical hazards.

STOT-SINGLE EXPOSURE: Not Established

STOT-REPEATED EXPOSURE: Not Established

ASPIRATION HAZARD: Yes

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Toxic to aquatic life.

ECOTOXICOLOGICAL INFORMATION: This product is toxic to fish.

BIOACCUMULATION/ACCUMULATION: Not Established

AQUATIC TOXICITY (ACUTE): Not Established

CHEMICAL FATE INFORMATION: Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of ignitability as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: Ignitability

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated (for US domestic shipment only)

OTHER SHIPPING INFORMATION: Under 49 CFR 173.150(f), this product has been reclassified as a Combustible Liquid and, as such, meets the requirements of Exceptions for Class 3 (flammable liquids) for domestic transportation by ground ONLY.

AIR (ICAO/IATA)

SHIPPING NAME: Contact manufacturer for more information.

NOTE: Not Approved

VESSEL (IMO/IMDG)

SHIPPING NAME:

Flammable Liquid, n.o.s.

TECHNICAL NAME: Terpene Hydrocarbon Solution

UN/NA NUMBER: 1993

PRIMARY HAZARD CLASS/DIVISION: 3

PACKING GROUP: III

EmS: 3-07

MARINE POLLUTANT #1: Yes

PLACARDS: Flammable

LABEL: Flammable, Marine Pollutant

NOTE: Above information for containers greater than 5 gallons. Consult manufacturer for container shipping information of less than 5 gallons.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health Hazard - Acute; Fire Hazard

FIRE: Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: 2-butoxyethanol 111-76-2 (Category: N230 Certain Glycol Ethers)

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt.%	CAS
Ethylene glycol butyl ether	20 - 25	111-76-2

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: No listed substance

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: No products were found.

CERCLA RQ: Not Established

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Ethylene glycol butyl ether	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance
Monoethanolamine	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance

CALIFORNIA PROPOSITION 65: No listed substance

CARCINOGEN:

The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

16. OTHER INFORMATION


PREPARED BY: Regulatory Affairs Department

Date Prepared: 02/22/2017

HMIS RATING

HEALTH	*	2
FLAMMABILITY		2
PHYSICAL HAZARD		0
PERSONAL PROTECTION		D

NFPA CODES



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.