

Product Name: Sani 512

EPA #: 6836-266

Sub Registrant #: 8325

Company Name: MISCO Products Corporation

Description

An effective sanitizer for use on hard, non-porous, food contact surfaces. It is concentrated. It deodorizes, disinfects and contains no phosphates or phosphorous compounds.

For use in food preparation areas, food processing plants, food storage areas, institutional kitchens restaurants as a sanitizer. Use in bars, beverage plants, cafeterias, convenience stores, egg processing plants and USDA inspected food processing facilities. Cleans³, disinfects and deodorizes in one labor saving step⁵ Eliminates 99.99% of Foodservice Germs E. coli, Salmonella, and Listeria.

Summary of Antimicrobial Test Results

Effective against the following pathogens at ½ oz. per gallon dilution unless otherwise stated:

[Bacteria:]	Contact Time
Burkholderia cepacia	10 minutes
Campylobacter jejuni	10 minutes
Corynebacterium ammoniagenes	10 minutes
Escherichia coli	10 minutes
Escherichia coli pathogenic strain O157:H7	10 minutes
Klebsiella pneumoniae	10 minutes
Listeria monocytogenes	10 minutes
Pseudomonas aeruginosa	10 minutes
Salmonella enteritidis	10 minutes
Salmonella typhi	10 minutes
Shigella dysenteriae	10 minutes
Staphylococcus aureus	10 minutes
Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400]	10 minutes
Staphylococcus aureus - Methicillin resistant – [MRSA]	10 minutes
Yersinia enterocolitica	10 minutes
[Fungi:]	Contact Time
Aspergillus niger	10 minutes
Trichophyton interdigitale [Athlete's Foot Fungus] [may a cause Ringworm] [may a cause Ringworm of the foot]	10 minutes
[Viruses:]	Contact Time
Adenovirus Type 5	10 minutes
*Adenovirus Type 7	10 minutes
*Hepatitis B Virus [HBV] (3 oz. per 5 gallons of water must be used)	10 minutes
*Hepatitis C Virus [HCV] (3 oz. per 5 gallons of water must be used)	10 minutes
*Herpes Simplex Virus Type 1	10 minutes
*Herpes Simplex Virus Type 2	10 minutes
*Human Coronavirus	1 minute
Treated surfaces must remain visibly wet for 1 minute.	
*Human Immunodeficiency Virus Type 1 (3 oz. per 5 gallons of water must be used)	10 minutes

*Influenza A2 / H3N2 Virus	10 minutes
*Norovirus - Feline Calicivirus [	10 minutes
*SARS Associated Coronavirus	10 minutes
*Vaccinia virus	10 minutes
[Animal viruses:]	Contact Time
Arkansas '99 [Avian] [Infectious Bronchitis Virus]	10 minutes
Avian Infectious Laryngotracheitis Virus	10 minutes
Avian Influenza virus	10 minutes
Avian Influenza virus (H5N1)	10 minutes
Canine distemper virus	10 minutes
Feline Calicivirus	10 minutes
Marek's Disease Virus	10 minutes
Newcastle Disease Virus	10 minutes
Pseudorabies virus [PRV]	10 minutes
[Other:]	Contact Time
Citrus Canker Disease	10 minutes

Footnotes:

³ On hard, non-porous, non-food surfaces

⁵ When used according to the disinfection directions.